20
2/0

Previous references.

File No. ~~278~~ of 1897-98

190 .

(Rev: Mis.)

Serial Nos. 1 – 6

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 1 – 6

Received MWK

Part B. for

Repair of the Bavanahalli Tank, in the Malur Taluk.

SUBJECT.

Petition of Jayachar and Subba Rao Kayamgutt[illegible]dars of Bavanahalli in the Malur Taluk praying that two-thirds of the estimated cost for the repair of their village tank may be borne by Government.

(... No. P.C. 1198 (Rejected 2200)

States that in the cases of Hoffanahalli and Mallappanahalli only ⅓ of the estimated cost of ~~each~~ repairs for each tank was recovered from the godidars, the remaining ⅔ being contributed by the Govt. and the godidars themselves were given the contract and hence requests that the same concession might be shown in his case also

2. No. P.C. 1188 dated the 21st March 1900 to the Secy. to G. W. D. forwarded for information of Govt.

G. R. S. 58 Requesting him to furnish any references that might be in his office

3. No. 1926 dated the 12th Dec. 1900 (Returned to the Secy.) Forwarding copy of Eastern circle Supdg Engineer's report no. 3778 dt. 11/10/00 in the matter and requesting [illegible]

Rs 420 which is required to bring the tank to ordinary standard be recovered from the defaulter the Govt bearing the remaining cost.

4. Endt No 2203 dated the 24th Nov 1900
To Jayachar and Srinivasa Rao
Informs them of the above communication dated the 20th ~~May 1901 (Dy No 2549R)~~
From Subba Rao

✓ States
No Pet. 724 dated the 23/11/00
To D.C. Kolar
Forwards copy of the above and requests him to report when the Kayamguttadars pay up the amount

5. ✓ Petition dated the 20th May 1901 (Dy No 2549R)
From Subba Rao of Bevanahalli
States that he has already spent Rs 350 on earth work for the tank and as such he has only to pay Rs 70 more towards the repairs of the village tank and that equitable orders should be passed in the matter

6. ✓ No 1712 dated the 15th June 1901
To the Chief Engineer
Forwards the above for disposal

Subd — L. 8.97 270 20

(1) 2 Rs stamps affixed. Stamps cancelled

(2) The order of the Asst/Comm^r Complained of was intimated to petrs by Asst^s endorsement of 18.12.97. (Copy of the Asst/Comm^r's order alluded to above is not produced but it is promised to be submitted as soon as possible).

Time — from date of the 2nd order but out of time from date of the present petn 8/6/9/97

(3) Appeal against Dy Comm^r's order requiring the petrs to repair their tank at their cost. Petrs request that 2/3rd of the cost may be borne by the Govt the balance being borne by the petrs

(4) — Not a Court Case

Submitted

5/3/98

Please see the remarks in the 6th Para of the Secretariat D.O. letter dated 14.3.98

Draft letter to D.C. Kolar

17.3.98

1898

No. 2203

Name of Petitioner Jayachar and Subba Rao

Village Buvanahalli

Taluk Malur

District Kolar

Date of Arzi 25-2-98

Date of Receipt 25-2-98

Date of Disposal

No. of Enclosure 2

ABSTRACT

Petitioners state as follows —

That the tank of their Kaigenpalla village is above the Madras railway line; that for the protection of the Railway line, the tank was ordered to be repaired by them at an estimated cost of Rs 1009 by order No 61 Dy 5-9-97 of the Dy. Comm^r; that in accordance with the order a notice Dy 16-9-9

from the Amildar was served on them; that they requested the Dy. Comm to show that concession which he had shown to other godidars; that the Amildar upheld their cause; that yet they got an endorsement No 26 of 28-12-97 from the Amildar to the effect that no kind of concession would be shown to them; that the desired repairs of the tank are solely on account of the protection of the railway line that the petitioners are unable to undertake ~~repairs~~ the repair on account of their poverty; that by order No 728 of 11-5-96 of the Dy. Comm, of the estimated Amount of Rs 2231 which was ordered to be spent on the repairs of the tank of Boppanahalli of the above Taluq, a sum of Rs 1349 was recovered from the godidar of the village & the remainder viz Rs 882 was granted by

the Govt. showing at the same time the concession of giving the contract of the work to the godidar; that in the same way by order no 220 of 1-9-94 of the Dy. Coms, of the estimated amount of Rs 2663 which was ordered to be spent on the repairs of the tank of godi hallappanahalli of the same Taluq, a sum of Rs 875 was recovered from the godidar of the village & the remainder viz Rs 1788 was granted by the Govt. showing at the same time the Concession of giving the contract of the work to the godidar, that on the above grounds petitioners' may that of the estimated amount of Rs 1009 ordered to be spent on the repairs of their village tank, $\frac{2}{3}$ ~~of the~~ may be granted by Govt & $\frac{1}{3}$ be recovered from the petitioners, by

Govt showing at the same time the concession of giving contract of the work to ~~the~~ ~~petr~~ them.

The petitioners have produced ~~endorsement~~ (1) notice dy 10-9-97 from the Assistdar ~~no 26 dy 16-9-97 from~~ to them. ~~the Assistdar dtd~~ It is as follows— 'A.o is sanctioned by the Engineering department— the sum of Rs 1009 is to be spent on the repair of the bank of the village of Buvanahalli by its godidars. The godidars should breach their tank within a month. If they do not ~~breach~~ do do the tank should be breached at the expense of Govt & the godidars should be compelled to pay the expense. To this above effect order no 618 dy 8-9-97 is received from the Dy. Comr. Also it is ordered that the godidars should be given notice & report should be submitted to the Dy. Comr. In accordance with the above order the godidars should repair the tank. If they do not do so they should breach the bank within a month after they receive the notice

The jamidar's non-compliance with the above order will be reported to the ~~Court~~ Dy. Comrs."

(2) Endorsement-no 26 dy 18-12-97 from the Amildar — "On your petition dy 1-11-97 a detailed report was submitted to the Dy. Comrs. But it appears that it is settled by the Dy. Comrs that you should repair the tank at your own cost — or breach it. Further it is required to be intimated to you that no kind of concern will be shown to you now."

Petitioners state that they have applied for the copy of the Dy. Comrs' order & will submit the same as soon as they obtain it.

mg
28/2/98

L. R. Mis 20 Proc 1897-98 (2)

Re 8900 / P. 1188 & 21/22 - 3 - 98. P.

From

The Secretary to Govt
Genl and Rev. Depts

To

The Secretary to Govt
Public Works Dept

Sir,

In forwarding herewith petn no 2 2 0 3 dated 25-2-98 (2) enclosures received from Jayachar and Sabha Rao, Kanungoes of Devanahalli in the Kolar Dt, praying that the two third of the estimate cost for the repair of their village tank may be borne by Govt, I am directed to request you to be good as to forward for the information of Govt in the Public Works Dept if any objections on the part of the Chief Engineer in the matter, in your office

I have &c

Cy

for Secretary

17-3-98

(E) to be obliged, returned

L. R. 44, 5 [illegible] of 1897-98

7

Rept put up

17/10/900

Subd

Mll

20.10.00

Subd to the Chief Councillor.

The Chf Engineer's letter
Grants the request concession
applied for by the Petrs
The tank will be repaired
if they pay Rs 420, being their
share of the total cost of Rs 1097.
An endorsement may be
given to the Petrs in the terms
of the Chf Engineer's letter.

Mll
5/11/00.

Rd 7/11/00

Yes - Send a
copy of the Petition
with the Chief
Engr's letter
and the Petitioners
when the Petitioners
pay
the amount
up the amount

Mll
19.11.00

Encl & copy
put up
the 20.11.00

REVENUE DEPARTMENT
No. 2691
OCT. 13
1900
SECRETARIAT

2.10.
(3)

MYSORE P. W. DEPARTMENT.

From

The Chief Engineer of Mysore,
Bangalore.

To

The Secy. to the Govt. of Mysore,
Revenue Department.

No. 4824

Dated Bangalore 12-10-00

Despatched

Enclosure No. One

SUBJECT.

Forwarding copy of Executive Engr's
Engg: Engineer's reference in connection
with the repair of the Bunanahalli
Tank, with the Chief Engineer's opinion
thereon.

R
13.10.00

Rd 16.10.1900
General Branch.

Please put up the file
relating to No: 8966/2.H98 of 21.3.99;
by referring to the Register

All
17/10/900

The above no with other
papers sent to Pet Branch on
9-3-900 on a requisition acknowledged
by a Petitioners survey Byan
All

MYSORE P. W. DEPARTMENT

CENTRAL OFFICE,

No. 4824 / Genl.

Bangalore, 12 October ~~189~~ 1900

From

The Chief Engineer of Mysore,

To

The Secretary to the Govt. of Mysore,

General & Revenue Department.

Sir,

With reference to your letter no: 8966 / Pol 488 of the 21st March 1898, forwarding petitions from Jaya Ullas & Subba Rao, Kayamgutadars of Bunnanahalli in the Malur Taluk, praying that 2/3 of the estimate cost for the repair of their village tank be borne by Government, & asking for any reference in this office connected therewith, I have the honor to forward copy of Captain Cecil Lubbock's Engineer's no: 3778 of the 18th instant, on the subject, with the remark that the concession recommended by him in para 3 of the above docket, viz, that out of Rs 1,009 sanctioned for the restoration of the Bunnanahalli Tank, Rs 420 be borne by the Kayamgutadars, on account of restoration to ordinary standard, will be sanctioned on intimation being received in this office that the Cash amount has been paid up.

II The delay in the disposal of the above reference is due to your reference & the Comments

9

files having been mislaid in the office of the Superintending Engineer, Lahore Circle, to whom the matter was referred for report. The required information had therefore to be obtained from the files of the Kalar Division Executive Engineer's office.

I have the honor &c.,
Sir,
Your most obedient Servant,
[signature] Colonel,
Chief Engineer Punjaub

Encl:
Nil

~~R. M. 2704/1897-98~~
~~Serial~~

10

(General Serial No. 30.)

10

189

From

The Superintending Engineer
Eastern Circle

To

The Chief Engineer
of Mysore

Dated Bangalore 6th: Oct. 1899

Despatched

Received

General No. 3778 } 189
No.

Enclosures Number.

Referring to the correspondence ending with Chief Engineer's No. 6221/97 T. Elkins, has the honor to report that there is no reason why concession similar to that given to the Boppenhalli and Hallaphanhalli tanks should not be given to the Bureen-halli tank.

2. In the case of the Boppenhalli tank the estimate amounted to Rs 2,231, of which Rs 1349 only was charged to the Jodidar, that being the cost of bringing up the tank to the usual standard of safety, the remaining work provided for in the estimate being for extra raising of the bund &c, considered necessary for the safety of the Railway.

Similarly

Central Jail Press, Bangalore — 21-9-99.— 1,752.

4

Similarly in the case of the Vallapparkalli Tank, Rs 884/- only out of the estimate for Rs 2,885, was charged to the Jodidar for the same reason. Undersigned has obtained this information from the Executive Engrs. files of these tanks.

3. In the restoration of the Bunamballi tank under reference, which is also situated above the Madras Railway, an estimate amounting to Rs 1,009 was sanctioned in August 1917. The "Kayamgutadar" was given the option of breaching the bank if he was not able to bear the cost of restoration. Accordingly he has breached it, so there is no danger to the Railway. The cost of restoration to the ordinary standard of safety is now estimated at Rs 620/-. If the "Kayamgutadar" will pay it, the work as sanctioned, may be carried out by this Department. The difference between Rs 1,009 & 620 represents the cost of extra raising of bund &c, for the safety of the Railway.

4. Chief Engineer's No: 1258 of 1918 8-00 is herewith returned.

5. The Executive Engineer's office files & correspondence regarding the tanks in question are also submitted for reference & obliging return, when no longer required.

(Sd) V. N. Narasu
Supdg: Engr: Eastern Circle

"Copy"

N. Sullivan
Asst: Secretary
Public Works Dept
12-10-00

Office of the Chief Engr of Madras.

Form
2203

(4)

Dated 24/11/00

12

To

The Secretary to the Govt.

Revenue Department

Hyderabad

Sir,

I am directed to refer to the

above cited and to say that

the Government have examined

the matter and are pleased

to issue the following

orders.

Reference is invited to the

Government Memo cited

wherein the Government

have accorded sanction

for the grant of

25-2-98 to 2203 Village

Officers working in the

Revenue Department

in the Telangana

Region. The Government

have now decided

to grant

Rs. 3/420 Village

Officers working

in the Telangana

Region in the

Revenue Department

as on 12-10-1900

482 Village

Officers in the

Telangana

Region

By order

Yours faithfully

for Secretary to Govt.

No. Rct. 724 dated 23d. 241 November 900

Copy of the above is for-
-warded to the Dy.Comm.r. of
Kolar for information together
with a copy of letter No. 4824
dated 12th Oct. 900 from the
Chief Engineer of Mysore.

The Dy.Comm.r. is requested
to report when the Kenjanguttudars
pay up the amount.

By order

Off. Asst.
for Off.g. Secretary

R. N. 30 of 1877-78 16

1900 – 1 (3)

No. 2549.

Name of Petitioner Subba Rao. Kayamgattadar of

Village Buvanahalli

Taluk Malur

District Kolar

Date of Arzi 20-5-01.

Date of Receipt 30-5-01.

Date of Disposal

No. of Enclosure Nil.

ABSTRACT

States that- his petn No 2203 of 25-2-98 to Govt: in re- the repairs of the tank at Buvana-halli, had been forwarded to the chief Engineer, on which letter No 4824 of 12-1-00 was recieved from him stating that- Rs 420 should be paid by the petr as Contribution; That as per Govt: granted by Govt: he deposed before the Amil-dar on 25-1-01 That- subse-quent to the preferring of the

Reference to 3-6-01 279 7.6.01

[illegible]

7/6 [illegible]

[illegible] 5-98 [illegible] 2203 [illegible] 22-11-00 [illegible] 724 [illegible] 24 [illegible] 3-12-00 [illegible]

7.6.01

Kannada Record keeper.

The references must be here. There is a file on the subject. This should not have been sent to V. Records. Find out the references please

7.6.01

Rep: put up

All

7.6.01

Submitted

7.6.01

Forward this to Chief Engr: with ref to previous correspondence

8/6/01

Read 11/6 Sent 11.6.01 + Copy sent 12/6

T.S. Srinivasa Sastry to Commutting Mistake

above appeal he has ~~had~~
caused earth to be put to
the bund of the said tank
at a cost of Rs 350; That
the work may be estimated
by the Engineering authorities
and that he would pay the
balance after deducting the
above cost from Rs 420;
& That the above deposition
has been forwarded to Govt:
Through the Dy: Comr.

Prays for equitable orders
in the matter.

SM
1-6-07.

Pet 1912 20 P 15-6-1901/16

L R 77. 270 A 1877-78 (b)

MYSORE DEWAN'S OFFICE.

PETITION DEPARTMENT.

OFFICIAL MEMORANDUM.

The accompanying ~~Appeal~~ Petition Registered No. 2579 dated 20.5.01 received at the Dewan's Office from Subba Rao Thayangutdar of Bommanahalli, Malur Taluk, praying that the Cost of earth-work done to the Butanahalli tank may be deducted from the amount of Rs 420/- ordered to be contributed for the repairs of the village tank and the balance collected is forwarded, ~~together with its enclosure,~~ to the Chief Engineer for disposal with reference to his letter No: 4824 & 12.10.01

Draft

By order,

for Secretary.

BANGALORE, 15/6/1901.

15

Sg.

12/6